



**REQUEST FOR QUOTATION NO.: 2022-02-003**

Date: February 16, 2022

**Procurement Title** : **Supply, Delivery and Testing of Various Printer and Scanner as requested by the Management Information Systems Division (MISD) for Y2022**

**PR No.** : **2022-01-008**  
**Approved Budget for the Contract** : **Php 429,000.00**

Sir/Madam:

The Commission on Filipinos Overseas invites PhilGEPS registered suppliers to quote the latest market price of the item/s described/listed below. Quotations must be placed in **TWO (2) sealed envelopes**. The first envelope should contain the original documents while the second envelope (COPY 1) should contain copies of the documents. Please submit your sealed envelopes at the **2nd floor, Administrative and Finance Division, New Golden City Builders Building, 1388 F. Icasiano St. cor. F. Gernale St. Paco, Manila** on or before **February 23, 2022, 1:00 P.M.**

**I. Requirements**

1. The winning bidder shall deliver the goods to the Commission on Filipinos Overseas Office at 2<sup>nd</sup> Floor, Administrative and Finance Division, New Golden City Builders Building, 1388 F. Icasiano St. cor. F. Gernale St. Paco, Manila;
2. The said winning bidder shall bear the cost of transportation;
3. The winning bidder shall replace the item if found to be defective/not in conformity with the description during inspection.

**II. General Terms and Condition:**

1. Quotations should be addressed to the CFO Bids and Awards Committee and must be placed in **two (2) sealed envelopes**. The first envelope should contain the original documents while the second envelope should contain copies of the documents;
2. Price quotation/s must be valid for a period of thirty (30) calendar days from the date of submission;
3. Quotations should be inclusive of all cost and applicable taxes;
4. The following documents should be submitted along with the sealed quotation:
  - PhilGEPS Registration Number/Certificate
  - Mayor's/Business Permit
  - BIR Form 2303 Certificate
  - SEC or DTI Certificate
  - Notarized Omnibus Sworn Statement
  - Brochure
5. Bidders must have a Land Bank account for payment purposes. Otherwise, bank fees shall be for the account of the winning bidder.



Republic of the Philippines • Office of the President  
**COMMISSION ON FILIPINOS OVERSEAS**  
**KOMISYON SA MGA FILIPINO SA IBAYONG DAGAT**



COMPANY NAME : \_\_\_\_\_  
ADDRESS : \_\_\_\_\_  
PhilGEPS REGISTRATION NO.: \_\_\_\_\_ VALID UNTIL: \_\_\_\_\_

QTY	UNIT	ITEM DESCRIPTION	UNIT COST	TOTAL COST	APPROVED BUDGET FOR THE CONTRACT (VAT INCLUSIVE)	QUOTATION/ OFFER AMOUNT (VAT INCLUSIVE)
Supply, Delivery and Testing of the following Printer and Scanner:						
5	Unit	ADF Scanners	₱ 20,000.00	₱ 100,000.00	₱ 100,000.00	
1	Unit	Colored A3 Printer	₱ 50,000.00	₱ 50,000.00	₱ 50,000.00	
9	Unit	Dot Matrix Printer	₱ 13,000.00	₱ 117,000.00	₱ 117,000.00	
9	Unit	Multifunction Printer	₱ 10,000.00	₱ 90,000.00	₱ 90,000.00	
9	Unit	LaserJet Printer	₱ 8,000.00	₱ 72,000.00	₱ 72,000.00	
<b>TOTAL AMOUNT</b>					<b>₱ 429,000.00</b>	

**PLEASE SEE ANNEX A FOR THE TECHNICAL SPECIFICATIONS**

**DELIVERY SCHEDULE** : **30 Working Days from receipt of a copy of the Notice to Proceed**  
**WARRANTY** : **One (1) year warranty**

After careful evaluation of the Requirements, General Terms and Conditions, Technical Specifications, Warranty and Delivery Schedule, I/WE hereby accept and submit our quotation based on the items and prices above.

The CFO reserves the right to accept or reject any bid, to annul the bidding process, and to reject all bids at any time prior to contract award, without thereby incurring any liability to the affected bidder or bidders.

\_\_\_\_\_  
Signature over printed name (Owner/Authorized Representative)

Telephone/Mobile No.: \_\_\_\_\_  
Email Address : \_\_\_\_\_  
Date : \_\_\_\_\_

For Further information, please refer to:

**KEESHIA MAE ACEDERA**  
Procurement Officer

Email: [bac.secretariat@cfo.gov.ph](mailto:bac.secretariat@cfo.gov.ph)  
Tel. No: [8552-4792](tel:8552-4792)



## ANNEX A

### TECHNICAL SPECIFICATIONS

EQUIPMENT(S)	SPECIFICATIONS
Dot Matrix Printer	<p><b>Print Method:</b> Impact dot matrix</p> <p><b>Control Panel:</b> 4 switches and 5 LEDs</p> <p><b>Print Direction:</b> Bi-direction with logic seeking</p> <p><b>Number of Pins in Head:</b> 9 pins</p> <p><b>Control Code:</b> ESC/P and IBM PPDS emulation</p> <p><b>Number of Pins:</b> 9</p> <p><b>High Speed Draft:</b> (10 / 12 / 15 cpi): 347 / 357 / 390 cps (Condensed, 17 / 20 cpi): 383 / 298 cps</p> <p><b>Draft:</b> (10 / 12 / 15 cpi): 260 / 312 / 223 cps (Condensed, 17 / 20 cpi): 222 / 260 cps (Emphasized, 10 cpi): 130 cps</p> <p><b>NLQ:</b> (10 / 12 / 15 / 17 / 20 cpi): 65 / 78 / 55 / 47 / 56 cps</p> <p><b>Cut Sheet (Single Sheet):</b> Length: 100 ~ 364mm (3.9 ~ 14.3") Width: 100 ~ 257mm (3.9 ~ 10.1") Thickness: 0.065 ~ 0.14mm (0.0025 ~ 0.0055")</p> <p><b>Cut Sheet (Multi-part Forms):</b> Length: 100 ~ 364mm (3.9 ~ 14.3") Width: 100 ~ 257mm (3.9 ~ 10.1") Thickness: 0.12 ~ 0.39mm (0.0047 ~ 0.015") (Total)</p> <p><b>Continuous Paper (Single Sheet / Multi-part):</b> Length: 101.6 ~ 558.8mm (4.0 ~ 22.0") Width: 101.6 ~ 254.0mm 4.0 ~ 10.0") Thickness: 0.065 ~ 0.39mm (0.0025 ~ 0.015") (Total)</p>
LaserJet Printer	<p><b>Ports</b> Hi-Speed USB 2.0 port</p> <p><b>Acoustic power emissions (active, printing):</b> 6.5 B(A)</p>

	<p><b>Memory:</b> 64 MB</p> <p><b>Maximum Memory:</b> 64 MB</p> <p><b>Input capacity:</b> Up to 150 sheets</p> <p><b>Standard input capacity (envelopes):</b> Up to 10</p> <p><b>Output capacity:</b> Up to 100 sheets</p> <p><b>Media sizes supported (metric):</b> A4; A5; A5(LEF); B5 (JIS); Oficio; Envelope (DL, C5); 76 x 127 to 216 x 356mm</p> <p><b>Media sizes supported (U.S. standard):</b> Letter; Legal; Executive; Oficio 216x340mm, Oficio 8.5x13 in, Envelope (No.10, Monarch); 4x6 in</p> <p><b>Media sizes, custom (metric):</b> 76 x 127 to 216 x 356 mm</p> <p><b>Media sizes, custom (U.S. standard):</b> 3 x 5 to 8.5 x 14 in</p> <p><b>Media types:</b> Plain, Thick, Thin, Cotton, Color, Preprinted, Recycled, Labels, CardStock, Bond, Archive, Envelope</p> <p><b>Maximum dimensions (W x D x H, metric):</b> 331 x 350 x 248 mm</p> <p><b>Energy savings feature technology:</b> Auto-On/Auto-Off Technology; Power save</p> <p><b>Power supply type:</b> Internal (built-in) Power Supply</p> <p><b>Print technology:</b> Laser</p> <p><b>Duplex printing:</b> Manual (driver support provided)</p> <p><b>Print resolution (best):</b> Up to 1,200 x 1,200 dpi</p> <p><b>Maximum print area (metric):</b> 216 x 356 mm</p>
--	--

	<p><b>Monthly duty cycle:</b> Up to 10,000 pages</p> <p><b>Print languages:</b> SPL</p> <p><b>Printer smart software features:</b> Manual duplex, N-up printing, collation, watermarks, accepts a variety of paper sizes and types</p>
Colored A3 Printer	<p><b>Printer Type:</b> Print, Scan, Copy, Fax with ADF</p> <p><b>Print Method:</b> PrecisionCore™ Printhead</p> <p><b>Minimum Ink Droplet Volume:</b> 3.8 pl</p> <p><b>Print Direction:</b> Bi-directional printing</p> <p><b>Nozzle Configuration:</b> 800 x 1 nozzles Black, 256 x 1 nozzles per colour (Cyan, Magenta, Yellow)</p> <p><b>Maximum Resolution:</b> 4800 x 2400 dpi</p> <p><b>Automatic 2-sided Printing:</b> Yes (up to A3)</p> <p><b>Photo Default - 10 x 15 cm / 4 x 6 " *1:</b> Approx. 43 sec per photo (Border) / 52 sec per photo (Borderless)*2</p> <p><b>Draft, A4 (Black / Colour):</b> Up to 32.0 ppm / 22.0 ppm *2</p> <p><b>ISO 24734, A4 Simplex (Black / Colour):</b> Up to 25.0 ipm / 12.0 ipm *2</p> <p><b>ISO 24734, A4 Duplex (Black / Colour):</b> Up to 16.0 ipm / 9.0 ipm *2</p> <p><b>Reduction / Enlargement:</b> 25 - 400% <b>Maximum Copy Size:</b> A3</p> <p><b>Copy Resolution:</b> 600 x 600 dpi</p> <p><b>Max Copies:</b> 999 copies</p>

**ISO 29183, A4 Simplex Flatbed (Black / Colour):**

Up to 23.0 ipm / 10.0 ipm

**Scanner Type:**

Flatbed colour image scanner

**Sensor Type:** CIS

**Optical Resolution:** 1200 x 2400 dpi

**Maximum Scan Area:** 297 x 431.8 (mm)

**Scanner Bit Depth (Colour):**

48-bit input, 24-bit output

**Scanner Bit Depth (Grayscale):**

16-bit input, 8-bit output

**Scanner Bit Depth (Black & White):**

16-bit input, 1-bit output

**Type Of Fax:**

Walk-up Black-and-white and Colour Fax Capability

**Receive Memory / Page Memory:**

6MB, Page memory

Up to 550 pages

**Error Correction Mode:** ITU-T T.30

**Fax Speed (Data Transfer Rate):**

Up to 33.6 kbps, Approx. 3 sec/page

**Fax Resolution:** Up to 200 x 200 dpi

**Transmission Paper Size (Flatbed):**

A5, A4, A3, B5, B4, Half Letter, Letter, Legal, 11 x 17"

**Type of Direct Printing:**

USB Memory

**Number of Paper Trays:** 3 (Front 2, Rear 1)

**Standard Paper Input Capacity:**

Cassette 1: 250 sheets for A4 Plain paper (80g/m2) 50 sheets for Premium Glossy Photo Paper

Cassette 2: 250 sheets for A4 Plain paper (80 g/m2)

	<p><b>Rear Slot:</b> 50 sheets for A4 Plain paper (80 g/m2), 20 sheets for Premium Glossy Photo Paper</p> <p><b>Output Capacity:</b> 125 sheets for A4 Plain paper (80 g/m2), 20 sheets for Premium Glossy Photo Paper</p> <p><b>Maximum Paper Size:</b> 329 x 6000 mm</p> <p><b>Paper Sizes:</b> A3, Super B (13 x 19"), Indian Legal, Letter, A4, 16K (195 x 270mm), 8K (270 x 390mm), Executive (7.25 x 10.5"), B4, B5, A5, B6, A6, 8.5 x 13", 5 x 7", 4 x 6", 8 x 10", Legal (8.5 x 14"), 16:9 wide, Envelopes: #10, DL, C6, C4</p> <p><b>Paper Feed Method:</b> Friction feed</p> <p><b>Print Margin:</b> 3mm top, left, right, bottom via custom settings in printer driver</p> <p><b>Dimensions (W x D x H):</b> 515 x 500 x 350mm</p> <p><b>USB:</b> USB 2.0</p> <p><b>Network:</b> Ethernet, Wi-Fi IEEE 802.11 b/g/n, Wi-Fi Direct</p> <p><b>Network Protocol:</b> TCP/IPv4, TCP/IPv6</p> <p><b>Network Management Protocols:</b> SNMP, HTTP, DHCP, BOOTP, APIPA, PING, DDNS, mDNS, SNTP, SLP, WSD, LLTD</p>
Multifunctional Printer	<p><b>Printer Type:</b> Print, Scan, Copy</p> <p><b>Print Method:</b> On-demand inkjet (Piezoelectric)</p> <p><b>Printer Language:</b> ESC/P-R, ESC/P Raster</p> <p><b>Nozzle Configuration:</b> 180 x 1 nozzles Black, 59 x 1 nozzles per Colour (Cyan, Magenta, Yellow)</p> <p><b>Maximum Resolution:</b> 5760 x 1440 dpi</p> <p><b>Automatic 2-sided Printing:</b> No</p> <p><b>Photo Default - 10 x 15 cm / 4 x 6 " *1:</b> Approx. 69 sec per photo (Border) / 90 sec per photo (Borderless)*2</p>

	<p><b>Draft, A4 (Black / Colour):</b> Up to 33.0 ppm / 15.0 ppm*2</p> <p><b>ISO 24734, A4 Simplex (Black / Colour):</b> Up to 10.0 ipm / 5.0 ipm*2</p> <p><b>First Page Out Time from Ready Mode (Black / Colour):</b> Approx. 10 sec / 16 sec*2</p> <p><b>Maximum Copies from Standalone:</b> 20 copies</p> <p><b>Maximum Copy Resolution:</b> 600 x 600 dpi</p> <p><b>Maximum Copy Size:</b> A4, Letter</p> <p><b>ISO 29183, A4 Simplex (Black / Colour):</b> Up to 7.0 ipm / 1.7 ipm</p> <p><b>Scanner Type:</b> Flatbed colour image scanner</p> <p><b>Sensor Type:</b> CIS</p> <p><b>Optical Resolution:</b> 600 x 1200 dpi</p> <p><b>Maximum Scan Area:</b> 216 x 297 mm</p> <p><b>Scanner Bit Depth (Colour):</b> 48-bit input, 24-bit output</p> <p><b>Scanner Bit Depth (Grayscale):</b> 16-bit input, 8-bit output</p> <p><b>Scanner Bit Depth (Black &amp; White):</b> 16-bit input, 1-bit output</p> <p><b>Number of Paper Trays:</b> 1</p> <p><b>Standard Paper Input Capacity:</b> Up to 100 sheets of Plain Paper (80 g/m2) Up to 20 sheets of Premium Glossy Photo Paper</p> <p><b>Output Capacity:</b> Up to 30 sheets of Plain Paper (80 g/m2) Up to 20 sheets of Premium Glossy Photo Paper</p> <p><b>Maximum Paper Size:</b> 215.9 x 1200 mm</p> <p><b>Paper Sizes:</b> Legal (8.5 x 14"), Indian-Legal (215 x 345 mm), 8.5 x 13",</p>
--	--



	<p>Letter, A4, 16K (195 x 270 mm), B5, A5, B6, A6, Hagaki (100 x 148 mm), 5 x 7", 5 x 8", 4 x 6", Envelopes: #10, DL, C6</p> <p><b>Print Margin:</b> 0 mm top, left, right, bottom via custom settings in printer driver*3</p> <p><b>Dimensions (W x D x H):</b> 375 x 347 x 179mm</p> <p><b>USB:</b> USB 2.0</p>
ADF Scanners	<p><b>Dimensions (W x D x H):</b> 300 x 172 x 154mm</p> <p><b>Supported paper sizes and types:</b>  U.S.-Letter: 215.9 x 279.4 mm  U.S.-Legal: 215.9 x 355.6 mm  U.S.-Executive: 184.2 x 266.7 mm  ISO A4: 210 x 297 mm  JIS B5: 182 x 257 mm  ISO B5: 176 x 250 mm  ISO A5: 148 x 210 mm  ISO A6: 105 x 148 mm  ISO A7: 74 x 104 mm  ISO A8: 52 x 74 mm</p> <p><b>Custom</b>  <b>Minimum:</b> 50.8 x 50.8 mm  <b>Maximum:</b> 216 x 3100 mm</p> <p><b>Scanner type:</b> Sheetfed</p> <p><b>Digital sending standard features</b>  Scan to PC</p> <p><b>Scan resolution, optical</b>  Up to 600 dpi</p> <p><b>Scan resolution, hardware</b>  600 x 600 dpi</p> <p><b>Duty cycle (daily)</b>  Recommended daily duty cycle: 3500 pages</p> <p><b>Bit depth</b>  24-bit (external), 48-bit (internal)</p> <p><b>Automatic document feeder scan speed</b>  Up to 35 ppm/70 ipm [1]</p> <p><b>Scan size (ADF), maximum</b></p>

	<p>216 x 3100 mm</p> <p><b>Scan size (ADF), minimum</b> 50.8 x 50.8 mm</p> <p><b>Automatic document feeder capacity</b> Standard, 50 sheets</p> <p><b>Duplex ADF scanning</b> Yes</p> <p><b>Scan file format</b> For text and images: PDF, PDF/A, Encrypted PDF, JPEG, PNG, BMP, TIFF, Word, Excel, PowerPoint, Text (.txt), Rich Text (rtf) and Searchable PDF</p> <p><b>Color scanning</b> Yes</p> <p><b>Levels of grayscale</b> 256</p> <p><b>Scan technology</b> CMOS CIS</p> <p><b>Scanning options (ADF)</b> Single-pass duplex</p> <p><b>Multifeed detection</b> No</p> <p><b>Output resolution dpi settings</b> 75; 150; 200; 240; 300; 400; 500; 600; 1200 ppi</p> <p><b>Light source (scanning)</b> LED</p> <p><b>Connectivity, standard</b> USB 3.0</p>
--	--